




*the new way of powdercoating*

The word 'nostop' is written in a white, lowercase, sans-serif font, with a white swoosh underline. It is centered within a blue rounded square. The background of the slide features a faint diagram of an electric field between two point charges,  $Q_1$  and  $Q_2$ , with force vectors  $\vec{F}_1$ ,  $\vec{F}_2$ , and  $\vec{F}$  shown. The diagram includes dashed circular field lines and solid lines with arrows representing the electric field. A coordinate system with x and y axes is also present. At the bottom of the slide, there are decorative orange and blue rectangular blocks.

nostop

# the new way



All elements of the *powder dose* module are accessible from outside.

Alle Komponenten des Pulverdosierrers sind wartungsfreundlich von der Außenseite zugänglich.

A genuine innovation!

The *quickcoating nostop* is now available!

This new technology combines all the advantages of the pressureless quickcoating system with the requirements of a high throughput inline powder coating production line.

Still no compressed air\* and suction installation needed. As a consequence, there will be no powder loss.

The *powder dose* modules enable a versatile range of configurations.

A manual or fully automated powder transport back to the powder reservoir is possible.

The system is computer controlled and comes along with a network connection to various line controller systems.

\* Compressed air only required for automated powder transport (this option doesn't influence the pressureless coating chamber).

Eine echte Innovation!

Die *quickcoating nostop* ist nun verfügbar!

Diese neue Technologie vereint alle Vorteile des drucklosen quickcoating Verfahrens mit den Anforderungen an eine Pulverbeschichtungsanlage mit hohem Durchsatz im Dauerbetrieb. Für den Betrieb ist nach wie vor keine Druckluft\* oder Absauganlage erforderlich.





Die Konsequenz daraus: Es gibt keinen Pulververlust!

Die kompakten Pulverdosierrmodule ermöglichen eine Vielzahl von Konfigurationsmöglichkeiten. Auch eine manuelle oder vollautomatische Pulverrückführung in den Pulverbehälter ist möglich.

Die *nostop quickcoating* Anlage ist computergesteuert und verfügt über Schnittstellen für die Anbindung an ein Produktionssystem.

\* Druckluft wird nur für den automatischen Pulvertransport benötigt (dies hat keinen Einfluss auf den drucklosen Beschichtungsraum).

# of powdercoating



## BENEFITS

- zero powderloss
- pressureless
- energy saving
- fast & efficient
- 24/7 inline production
- The economical solution for an automated production line!

## VORTEILE

- kein Pulververlust
- drucklos
- energiesparend
- schnell & effizient
- 24/7 Linienproduktion
- Die günstige Lösung in die automatisierte Fertigung!



Four of countless possible *quickcoating nostop* configurations.  
Vier der unzähligen Konfigurationsmöglichkeiten der *quickcoating nostop*.

## TECHNISCHE DATEN

- Maße  
konfigurationabhängig
- Prozessraum  
bis zu 2.5 m x 2.5 m x  
beliebige Länge
- Platzbedarf  
konfigurationsabhängig
- 230 VAC, 50 - 60 Hz
- Gewicht  
konfigurationsabhängig

## OPTIONALES ZUBEHÖR

- zusätzliche Pulverdosier-Module
- Automation, Förderer und  
weitere Transportmodule  
(siehe auch quickcoating  
motion)
- Softwareverbindung zum  
Linien- bzw. Leitrechner
- Protokolldruck und Barcode-  
Integration

## TECHNICAL DATA

- Dimensions  
depending on the configuration
- process chamber  
up to 2.5 m x 2.5 m x  
arbitrary length
- footprint  
depending on the configuration
- 230 VAC, 50 - 60 Hz
- weight  
depending on the configuration

## OPTIONS

- additional *powder dose*  
modules
- automation, conveyor and  
transport (see quickcoating  
motion)
- connection/interface to line  
controller
- protocol-printing and barcode  
integration

The *quickcoating* machines are engineered and made in Germany.

Our company has an over 25-year experience in the field of compressed-air-free powder coating systems. As a small high-tech company, the quickcoating GmbH cooperates with independent consultants, experts and partners from different countries.

Die *quickcoating* Anlagen werden in Deutschland entwickelt und produziert.

Unser Unternehmen hat bereits mehr als 25 Jahre Erfahrung im Bereich der drucklosen Pulverbeschichtung. Als kleines und technologisch innovatives Unternehmen arbeitet die quickcoating GmbH mit unabhängigen Beratern, Experten und Partnern in einem internationalen Team zusammen.



Our sales partners in the following regions:  
Australia / New Zealand, Belarus,  
Czech Republic, France, Italy, India,  
Mexico, Pakistan, Poland, Russia,  
Scandinavia / Baltic States, Slovenia,  
Thailand, USA, Egypt

Please don't hesitate to contact us for more information!

Für weitere Informationen nehmen sie bitte Kontakt mit uns auf!



quickcoating GmbH  
Klingenhalde 2  
72770 Reutlingen, Germany  
[www.quickcoating.com](http://www.quickcoating.com)

Phone +49 7072 600590  
Mobile +49 179 7478586  
Email [info@quickcoating.com](mailto:info@quickcoating.com)  
Skype quickcoating  
YouTube quickcoating